COAL MINING PROPERTIES AND TOPOGRAPHY

ALONG THE

MAIN LINE OF C.P.R. AND CROWS NEST BRANCH

AND BETWEEN SAME

IN

WESTERN ALBERTA AND EASTERN BRITISH COLUMBIA

ALSO

SHOWING CONDITIONS UNDER WHICH THE COAL GRANTS IN ALBERTA HAVE BEEN MADE

SCALE: 1 INCH = 3 MILES. CALGARY. MAY 22ND 1920.

GRAPH Nº 51.

Compiled under direction of Wm Pearce.

LEGEND

Coal Sales Subject to Royalty	▨
Coal Sales not Subject to Royalty	▩
Coal Leases on Dominion Lands	▤
Coal Leases on School Lands	☒

NOTE

Because of the system adopted in securing and forwarding samples of Coal to the point of analyses it is probable that in handling the said Coals commercially, the percentage of the ash content should have from 2% to 5% added. The moisture should be increased by from 10% to 25% of the amount appearing in the Schedule. The higher the percentage of the moisture content the larger should be the percentage added.

When the suggested corrections for moisture and ash are made, it will then be necessary to amend the amounts given for Volatile and Fixed Carbon, which of course will be lowered by the amounts combined added to Moisture and Ash. The combined amounts so added to Moisture and Ash to be divided between the Volatile and Fixed Carbon proportionately to the percentages of the Volatile and Fixed Carbon.

ANALYSES OF COALS

Nº	Location of Coal Analysed	Thickness of Seam	Name of Mine. Owner or Claimant.	M %	A %	V %	C %	B.T.U.	Coking or NonCoking	Authority See Note at end
1	Sec 19 T 26 R 11 W5		Bankhead Colliery C.P.R	0.9	12.1	11.7	75.3	13 190	N.C.	Z
.	. . . . .		. . .	1.1	15.7	12.5	70.7	12.540	.	.
.	. . . . .		. . .	2.7	13.9	16.6	66.8	12.740	.	.
.	. . . . .		. . .	0.6	13.6	8.8	77.0	12.890	.	.
.	. . . . .		. . .	0.6	9.7	8.2	81.5	13.750	.	.
.	. . . . .		. . .	1.1	18.4	10.1	70.5	12.180	.	.
2	Seam Nº 3	3.10	Anthracite	1.04	2.63	9.15	87.18			X
.	A	8.7	.		3.63	7.65	88.72			.
3	Sec 29 T24 R10 W5		Nº 2 Mine Canmore Coal Co. Ltd	2.1	7.2	15.6	75.1			Z
.	. . . . .		. . . . .	4.4	15.4	13.3	66.9			.
.	. . . . .		. . . . .	0.9	5.4	14.0	79.7	14.470	N.C	.
.	. . . . .		. . . . .	1.9	6.2	9.8	82.1	14 280	.	.
.	. . . . .		Nº 1 Mine . . .	1.2	12.1	17.0	69.7	13 050		.
.	Sec 1&6 T25 R10&11 W5		Georgetown Collieries Ltd	0.6	9.6	16.8	72.8	13 640	N.C.	.
.	. . . . .		. . .	2.9	12.3	13.1	71.7	12.920	N.C.	.
4		12-0	Marsh Mine (opposite Gap Siding)	0.7	8.49	11.03	79.78			X
.		10-0	. . (lower Seam)	1.02	55.58	7.24	36.16			.
.		15-6	Gully near Marsh Mine	3.5	5.5	13.1	77.9			.
.		4-0	. . . .	2.6	3.8	12.4	81.2			.
.		4-6	. . . .	1.0	8.5	12.5	78.0			.
.		4-0	. . . .	2.5	7.5	11.5	78.0			.
.		4-6	. . . .	2.5	4.5	9.5	83.5			.
5										
.										
6	Sec 34 T25 R7 W5	3-0	Coxcomb M't'n	1.64	2.09	14.26	82.01			X
.	Near Thorne Mine	1-6	Moose M't'n (top Seam)	1.86	2.84	19.23	76.07			.
.	. . .	7-6	Head of Bragg Creek	1.17	15.52	13.54	69.77			.
.	Sec 8 T23 R6 W5	6-10	Moose M't'n	2.74	3.12	18.62	75.52			.
6A		4-6	Coal Creek Bow River Outcrop of Seam	4.93	15.31	33.55	46.21	10 579		X
.			Bow River Mine . . (south side)	4.41	7.0	40.32	48.27			.
7										
.										
8	North end of Area		Nr Tombstone M't'n Kananaskis River	0.87	18.75	13.66	66.72			X
9	Sheep Creek	8.8	Burn's Location	0.74	13.04	11.51	74.71			X
10	Sec 19&30 T19 R5 W5		On Sheep Creek	0.53	19.93	14.99	64.55			X
.	. 36 . . .	3-0	. . .	0.69	6.21	19.98	73.12			.
11	Sec 20 T19 R4 W5	5-0	. . .	2.10	6.77	34.65	56.42			X
.	. 30 . . .	7-0	. . .	2.5	4.98	35.88	56.64			.
.	. 2 T20 R3 W5	4-0	Sheep Creek Coal Mine	3.08	3.05	39.37	54.50			.
12	Sec 11 T19 R7 W5	9-6	On Sheep Creek (near Burn's Location)	1.3	10.43	11.14	77.13			X
.	. . . .	.	. . . . .	0.52	10.29	13.19	76.0			.
13	On Aldridge Creek		Nº 1 Seam C.P.R. Synd.	1.1	6.6	23.3	69.0		C	W
.	. . .		. 2 . . .	1.0	9.2	23.9	65.9		C	.
.	. . .		. 3 . . .	0.9	12.3	22.4	64.4		C	.
.	. . .		. 5 . . .	0.9	12.8	18.9	67.4		C	.
13A	Elk River H'quarters	10-0	10-0 Seam J.R. Wilson Claim	0.9	7.5	17.9	73.7		C	.
14	Seam A		Imperial Coal Co	1.4	8.1	19.1	70.1		C	W
.	. B		. . .	0.9	8.0	21.6	69.5		C	.
.	. C		. . .	2.8	5.0	22.8	69.4		C	.
.	. E		. . .	4.4	10.9	22.2	62.5		NC	.
.	. F		. . .	1.4	11.3	23.1	64.2		C	.
.	. G		. . .	1.3	11.2	24.7	62.8		C	.
15										
16										
17	N. Fork of Oldman River		Great West Coal Co	0.69	15.38	21.62	62.31		C	P
18										
19										
20				3.5	11.4	22.5	62.6			P
21				0.5	11.1	26.0	62.4			P
21A										
22										
23										
24	On Alexander Creek		Trites Woods Co	0.8	15.5	17.0	66.7		C	P
25	Sec 8 T8 R4 W5		[illegible] Colliery International C. & C. Co Ltd	2.0	19.4	24.6	54.0	11 490		Z
.	. . . .		. . . .	1.4	20.9	23.3	54.4	11.450		.
.	. . . .		. . . .	1.9	15.9	23.4	58.8	12.280		.
.	. . . .		. . . .	2.4	18.3	22.5	57.0	11 820		.
.	Sec 17		Carbondale Mine McGillivray [illegible] C.C. Co Ltd	2.5	17.0	24.0	56.5	12.040		.
.	. 2&11 .		Greenhill Colliery West Canadian Collieries Ltd.	1.2	19.5	23.1	56.2	11 750		.
.	. . . .		. . . .	2.5	11.5	24.9	61.1	13 140		.
26	Sec 5 T8 R3 W5		Lille	1.7	16.1	24.6	57.6	12.260		Z
.	. . . .		. . . .	1.5	15.5	24.9	58.1	12.430		.
.	Sec 15 T7 R3 W5		Leitch Collieries Ltd.	1.9	17.6	26.5	54.0	12.000		.
.	. . . .		. . .	1.1	17.9	28.4	52.6	12.090		.
.	. . . .		. . .	1.1	20.3	25.8	52.8	11.670		.
27	Sec 36 T7 R4 W5		Franco Canadian Collieries Ltd.	1.2	16.5	26.0	56.3	12.330	C	Z
.	. . . .		. . . .	1.3	10.7	28.4	59.6	13 240	C	.
.	. . . .		. . . .	2.8	17.8	26.2	53.2	11 910	N.C	.
28	Sec 18 T7 R3 W5		Hillcrest Collieries Ltd.	3.0	14.8	28.5	53.7	12.080		Z
.	. . . .		. . .	1.0	13.4	29.7	55.9	12.700		.
.	. . . .		. . .	1.9	14.0	25.2	58.9	12.820	C	.
.	Sec 29 T7 R3 W5		Bellevue Colliery W. Canadian Collieries Ltd.	0.9	15.3	27.4	56.4	12.280		.
.	. . . .		. . . .	1.2	13.9	26.4	58.5	12.440		.
.	. . . .		. . . .	1.3	17.0	20.8	60.9	12.070		.
.	. . . .		. . . .	2.7	18.8	23.5	55.0	11.790		.
29										
30	Near Lundbreck	3-0		3.27	9.20	32.53	47.78	12.256		X
.	. .	3-0		2.36	12.08	40.66	49.88	10.746		.
31										
32										
33										
34										
35										

			M	A	V	C	B.T.U.	
12A	Sec 12 T17 R6 W5	Ford Coal Co	0.446	17.22	17.06	63.22	12.438	Average of 7 Analyses made by J. McEvoy 10/1/19.
12B	. 36 - 16 - 5	.	5.0	9.1	22.3	68.6		Private Report
12C	. 12 - 17 - 6	.	1.0	8.0	16.0	75.0		Report of Bruce Rose (See p. 19 of Geo. Sum. Rep. Pt C 1919)

SCHEDULE CONTINUED →

ANALYSES OF COALS (Continued)

Nº	Location of Coal Analysed	Thickness of Seam	Name of Mine Owner or Claimant	M %	A %	V %	C %	BTU	Coking or NonCoking	Authority
36										
37	Nº 4 Mine		Corbin Coal & Coke Co Ltd	1.0	15.4	23.0	60.6			Y
.	. .		. . . . .	1.0	15.2	23.5	60.3			.
.	. .		. . . . .	0.9	15.3	24.0	59.8			.
.	. .		. . . . .	1.0	8.9	24.7	65.4			.
.	. .		. . . . .	0.7	15.5	26.6	58.2			.
.	. .		. . . . .	0.8	15.0	26.7	57.5			.
.	. .		. . . . .	0.8	15.8	24.6	60.8			.
38	Nº 3 Mine		Michel Colliery Crows Nest Pass Coal Co Ltd	1.6	12.4	24.6	61.8	13.960	C	Y
.	. .		. . . . .	1.0	11.8	21.3	65.9	13.580	C	.
.	Nº 7 Mine		. . . . .	1.8	11.7	22.2	64.3	13.160	C	.
.	Nº 8 .		. . . . .	5.6	8.8	25.4	65.7	13.080	C	.
.	. .		. . . . .	1.1	8.8	25.3	64.8	13.640	C	.
39	Nº 2 Seam South		Hosmer Mine C.P.R.	1.7	13.8	21.0	62.3	13.880	C	Y
.	. 6 .		. . .	2.6	13.1	23.9	60.4	13.780	C	.
.	. 8 .		. . .	4.0	7.2	26.5	61.9	13.450	C	.
40	Nº 2 Mine		Crows Nest Pass Coal Co Ltd	2.2	8.8	26.8	63.2	13.520	C	Y
.	. .		. . . .	0.7	15.4	25.4	58.5	13.280	C	.
.	Nº 5 Mine		. . . .	1.6	11.0	23.0	64.2	13.470	C	.
.	. .		. . . .	1.3	10.6	24.1	64.0	13.400	C	.
41	Nº 1 Mine	18.0	Morrissey	0.9	5.6	23.19	70.39	14.840		X
.	. 2 .		.	0.82	15.75	11.78	71.5	12.838		.
42	Jubilee & Pettit Seams	30' & 14'	Morten Creek	1.34	3.99	31.84	62.44	14.468	C	X

→ AUTHORITY

Reference Letter	Authority
Z	Analyses of Canadian Fuels. Bulletin Nº 25 Part 4 Dep't of Mines 1913.
Y	. . . . . 26 . 5 . . . . .
X	Coal Fields of Man., Sask., Alta. & B.C. by D.B. Dowling Memoir 53. Geol. Dep't 1914.
W	Annual Report of Minister of Mines (1909) for B. Columbia
P	Private Report.



COAL MINING PROPERTIES AND TOPOGRAPHY

ALONG THE

MAIN LINE OF C.P.R. AND CROWS NEST BRANCH

AND BETWEEN SAME

IN

WESTERN ALBERTA AND EASTERN BRITISH COLUMBIA

ALSO

SHOWING CONDITIONS UNDER WHICH THE COAL GRANTS IN ALBERTA HAVE BEEN MADE

SCALE: 1 INCH = 3 MILES.

CALGARY. MAY 22ND 1920.

GRAPH No 51.

Compiled under direction of Wm Pearce.

LEGEND

Coal Sales Subject to Royalty	▨
Coal Sales not Subject to Royalty	▩
Coal Leases on Dominion Lands	▤
Coal Leases on School Lands	☒

NOTE

Because of the system adopted in securing and forwarding samples of Coal to the point of analyses it is probable that in handling the said Coals commercially, the percentage of the ash content should have from 2% to 5% added. The moisture should be increased by from 10% to 25% of the amount appearing in the Schedule. The higher the percentage of the moisture content the larger should be the percentage added.

When the suggested corrections for moisture and ash are made, it will then be necessary to amend the amounts given for Volatile and Fixed Carbon, which of course will be lowered by the amounts combined added to Moisture and Ash. The combined amounts so added to Moisture and Ash to be divided between the


VI
V
IV
III
II
I
26
25
24
23
22
21
20
19
18
17
16
15
14
MORLEYVILLE SETTLEMENT
Morley
Chiniki
I. R.
Scott L.
Radnor
Milford
Ghost River
Bighill Cr.
Beddington
Beddington Cr.
Bottrel
Simons Valley
Cochrane
BOW
Glenbow
RIVER
Impey
Jumpingpound
Bearspaw
Keith
Jumping Pound
Jumpingpound Cr.
Spring Bank
Brickburn
Shaganappi
CALGARY
Elbow River
Sarcee Butte
Pirmez Creek
SARCEE I. R.
Bragg Creek
Turner
Indian Agency
Fish Cr.
Midnapore
CANADIAN PACIFIC RAILWAY
Priddis
North Branch Fish Cr.
Pine Cr.
Whiskey
De Winton
Davisburg
Blizzard L.
FIFTH MERIDIAN
Millarville
Sandstone
Okotoks
Sheep River
North Branch Sheep R.
Threepoint Cr.
Ware Cr.
Kew
Burgo
Black Diamond
Aldersyde
Lineham
Lineham Cr.
Mazeppa
Railway
Tongue Creek
Tongueflag Cr.
Sheep River
High River
Highwood River
Longview
Road to High River Station
Ings Cr.
Sullivan Cr.
Loch Sloy
Azure
Cayley
HIGHWOOD RANGE
Mt. Head
Highwood R.
Pekisko
Pekisko Cr.
Stimson Cr.
Mosquito Cr.
L. Marguerite
Muirhead
Connemara
Nanton
Sheppard Cr.
Miller Cr.
Cataract Cr.
SENTINEL MT.
XXX
XXIX
XXVIII
Rice
Willow Creek
Mountains
CPR
Chauncey Cr.
Oyster Cr.
Mt. Gass
Mt. Pierce
Mt. Farquhar
Mt. Holcroft
Mt. Etherington
Mt. Bolton
Mt. Cornwall
Baril Pk.
Proposed Route of Railway
Ford Coal Co.
Canyon Cr.
Wolf



ANALYSES OF COALS (Continued)

Nº	Location of Coal Analysed	Thickness of Seam	Name of Mine Owner or Claimant	M %	A %	V %	C %	BTU	Coking or Non Coking	Authority
36										
37	Nº 4 Mine		Corbin Coal & Coke Co Ltd	1·0	13·4	25·0	62·6			Y
"	"		"	1·0	12·2	23·3	63·5			"
"	"		"	0·9	15·3	24·0	59·8			"
"	"		"	1·0	8·9	24·7	65·4			"
"	"		"	0·7	18·5	22·6	58·2			"
"	"		"	0·8	15·0	26·7	57·5			"
"				0·8	13·8	24·6	60·8			"
38	Nº 3 Mine		Michel Colliery Crows Nest Pass Coal Co Ltd	1·4	12·4	24·4	61·8	13 080	C	Y
"	"		"	1·0	11·8	21·3	65·9	13 380	C	"
"	Nº 7 Mine		"	1·8	11·7	22·2	64·3	13 110	C	"
"	Nº 8 "		"	3·0	9·9	23·4	63·7	13090	C	"
"	"		"	1·1	8·5	25·5	64·9	13640	C	"
39	Nº 2 Seam South		Hosmer Mine C.P.R.	1·7	15·0	21·0	62·3	12,600	C	Y
"	" 6 "		"	2·6	12·1	24·9	60·4	12,750	C	"
"	" 8 "		"	4·0	7·2	26·9	61·9	13430	C	"
40	Nº 2 Mine		Crows Nest Pass Coal Co Ltd	2·2	8·8	25·8	63·2	13520	C	Y
"	"		"	0·7	13·4	23·4	62·5	13230	C	"
"	Nº 5 Mine		"	1·6	10·6	23·6	64·2	13270	C	"
"	"		"	1·3	10·6	24·1	64·0	13400	C	"
41	Nº 1 Mine	18·0"	Morrissey	0·9	5·6	22·15	70·99	14346		X
"	" 2 "	"	"	0·82	15·75	11·73	71·5	12,858		"
42	Jubilee & Peter Seams	30' & 14'	Marten Creek	1·84	3·99	31·24	62·44	14468	C	X

→ AUTHORITY

Refce Letter	Authority
Z	Analyses of Canadian Fuels Bulletin Nº 25 Part 4 Dept of Mines 1918.
Y	" " " " " 26 " 5 " " " "
X	Coal Fields of Man, Sask, Alta, & B.C. by D B Dowling Memoir 53. Geol: Dept 1914.
W	Annual Report of Minister of Mines (1909) for B. Columbia
P	Private Report.

COAL MINING PROPERTIES AND TOPOGRAPHY

ALONG THE

MAIN LINE OF C.P.R. AND CROWS NEST BRANCH

AND BETWEEN SAME

IN

WESTERN ALBERTA AND EASTERN BRITISH COLUMBIA

ALSO

SHOWING CONDITIONS UNDER WHICH THE COAL GRANTS IN ALBERTA HAVE BEEN MADE

SCALE: 1 INCH = 3 MILES. CALGARY. MAY 22ND 1920.

GRAPH No 51.

Compiled under direction of Wm Pearce.

LEGEND

Coal Sales Subject to Royalty	▨
Coal Sales not Subject to Royalty	▨
Coal Leases on Dominion Lands	▤
Coal Leases on School Lands	☒

NOTE

Because of the system adopted in securing and forwarding samples of Coal to the point of analyses it is probable that in handling the said Coals commercially, the percentage of the ash content should have from 2% to 5% added. The moisture should be increased by from 10% to 25% of the amount appearing in the Schedule. The higher the percentage of the moisture content the larger should be the percentage added.

When the suggested corrections for moisture and ash are made, it will then be necessary to amend the amounts given for Volatile and Fixed Carbon, which of course will be lowered by the amounts combined added to Moisture and Ash. The combined amounts so added to Moisture and Ash to be divided between the Volatile and Fixed Carbon proportionately to the percentages of the Volatile and Fixed Carbon.

ANALYSES OF COALS

No	Location of Coal Analysed	Thickness of Seam	Name of Mine. Owner or Claimant.	M %	A %	V %	C %	B.T.U.	Coking or NonCoking	Authority See Note at end
1	Sec 19 T 26 R 11 W5		Bankhead Colliery C.P.R.	0·9	12·1	11·7	75·3	13 190	N.C.	Z
·	· · · · ·		· · ·	1·1	15·7	12·5	70·7	12,540	·	·
·	· · · · ·		· · ·	2·7	13·9	16·6	66·8	12,740	·	·
·	· · · · ·		· · ·	0·6	13·6	8·8	77·0	12,890	·	·
·	· · · · ·		· · ·	0·6	9·7	8·2	81·5	13,750	·	·
·	· · · · ·		·	1·1	18·4	10·1	70·5	12,180	·	·
2	Seam No 3	3·10	Anthracite	1·04	2·63	9·15	87·18			X
·	A	8·7	·		3·63	7·65	88·72			·
3	Sec 29 T24 R10 W5		No 2 Mine Canmore Coal Co. Ltd	2·1	7·2	15·6	75·1			Z
·	· · · · ·		· · · · ·	4·4	15·4	13·3	66·9			·
·	· · · · ·		· · · · ·	0·9	5·4	14·0	79·7	14,470	N.C	·
·	· · · · ·		· · · · ·	1·9	6·2	9·8	82·1	14,280	·	·
·	· · · · ·		No 1 Mine · · · ·	1·2	12·1	17·0	69·7	13,050		·
·	Sec 1&6 T25 R10&11 W5		Georgetown Collieries Ltd	0·6	9·6	16·8	72·8	13,640	N.C.	·
·	· · · · ·		· · ·	2·9	12·3	13·1	71·7	12,920	N.C.	·
4		12·0	Marsh Mine (opposite Gap Siding)	0·7	8·49	11·03	79·78			X
·		10·0	· · (lower Seam)	1·02	55·58	7·24	36·16			·
·		15·6	Gully near Marsh Mine	3·5	5·5	13·1	77·9			·
·		4·0	· · · ·	2·6	3·8	12·4	81·2			·
·		4·6	· · · ·	1·0	8·5	12·5	78·0			·
·		4·0	· · · ·	2·5	7·5	11·5	78·0			·
·		4·6	· · · ·	2·5	4·5	9·5	83·5			·
5										
·										
6	Sec 34 T23 R7 W5	3·0	Coxcomb M't'n	1·64	2·09	14·26	82·01			X
·	Near Thorne Mine	1·6	Moose M't'n (top Seam)	1·86	2·84	19·23	76·07			·
·	· · ·	7·6	Head of Bragg Creek	1·17	15·52	13·54	69·77			·
·	Sec 8 T23 R6 W5	6·10	Moose M't'n	2·74	3·12	18·62	75·52			·
6A		4·6	Coal Creek Bow River Outcrop of Seam	4·93	15·31	33·55	46·21	10 579		X
·			Bow River Mine · · (south side)	4·41	7·0	40·32	48·27			·
7										
·										
8	North end of Area		Nr Tombstone M't'n Kananaskis River	0·87	18·75	13·66	66·72			X
9	Sheep Creek	8·8	Burn's Location	0·74	13·04	11·51	74·71			X
10	Sec 19&30 T19 R5 W5		On Sheep Creek	0·53	19·93	14·99	64·55			X
·	· 36 · · ·	3·0	· · ·	0·69	6·21	19·96	73·12			·
11	Sec 20 T19 R4 W5	5·0	· · ·	2·10	6·77	34·65	56·42			X
·	· 30 · · ·	7·0	· · ·	2·5	4·98	35·88	56·64			·
·	· 2 T20 R5 W5	4·0	Sheep Creek Coal Mine	3·08	3·05	39·37	54·50			·
12	Sec 11 T19 R7 W5	9·6	On Sheep Creek (near Burn's Location)	1·3	10·43	11·14	77·13			X
·	· · · ·	·	· · · · · ·	0·52	10·29	13·19	76·0			·
13	On Aldridge Creek		No 1 Seam C.P.R. Synd.	1·1	6·6	23·3	69·0		C	W
·	· · ·		· 2 · · ·	1·0	9·2	23·9	65·9		C	·
·	· · ·		· 3 · · ·	0·9	12·3	22·4	64·4		C	·
·	· · ·		· 5 · · ·	0·9	12·8	18·9	67·4		C	·
13A	Elk River H'quarters	10·0	10·0 Seam J R Wilson Claim	0·9	7·5	17·9	73·7		C	·
14	Seam A		Imperial Coal Co	1·4	8·1	19·1	70·1		C	W
·	· B		· · ·	0·9	8·0	21·6	69·5		C	·
·	· C		· · ·	2·8	5·0	22·8	69·4		C	·
·	· E		· · ·	4·4	10·9	22·2	62·5		NC	·
·	· F		· · ·	1·4	11·3	23·1	64·2		C	·
·	· G		· · ·	1·3	11·2	24·7	62·8		C	·
15										
16										
17	N. Fork of Oldman River		Great West Coal Co	0·69	13·38	21·62	62·31		C	P
18										
19										
20				3·5	11·4	22·5	62·6			P
21				0·5	11·1	26·0	62·4			P
21A										
22										
23										
24	On Alexander Creek		Trites Woods Co	0·8	15·5	17·0	66·7		C	P
25	Sec 8 T8 R4 W5		Denison Colliery International C. & C. Co Ltd	2·0	19·4	24·6	54·0	11 490		Z
·	· · · ·		· · · · ·	1·4	20·9	23·3	54·4	11,450		·
·	· · · ·		· · · · ·	1·9	15·9	25·4	58·8	12,280		·
·	· · · ·		· · · · ·	2·4	18·3	22·3	57·0	11 820		·
·	Sec 17 ·		Carbondale Mine McGillivray [illegible] C. C. Co Ltd	2·5	17·0	24·0	56·5	12,040		·
·	· 2 & 11 ·		Greenhill Colliery West Canadian Collieries Ltd	1·2	19·5	23·1	56·2	11 750		·
·	· · · ·		· · · · ·	2·5	11·5	24·9	61·1	13 140		·
26	Sec 5 T8 R3 W5		Lille · · · · ·	1·7	18·1	24·6	57·6	12,260		Z
·	· · · · ·		· · · · ·	1·5	15·5	24·9	58·1	12,430		·
·	Sec 15 T7 R3 W5		Leitch Collieries Ltd.	1·9	17·6	26·5	54·0	12,000		·
·	· · · ·		· · ·	1·1	17·9	28·4	52·6	12,090		·
·	· · · ·		· · ·	1·1	20·3	25·8	52·8	11,670		·
27	Sec 36 T7 R4 W5		Franco Canadian Collieries Ltd.	1·2	16·5	26·0	56·3	12,330	C	Z
·	· · · · ·		· · · ·	1·3	10·7	28·4	59·6	13 240	C	·
·	· · · · ·		· · · ·	2·8	17·8	26·2	53·2	11 910	N.C.	·
28	Sec 18 T7 R3 W5		Hillcrest Collieries Ltd.	3·0	14·8	28·5	53·7	12,080		Z
·	· · · ·		· · ·	1·0	13·4	29·7	55·9	12,700		·
·	· · · ·		· · ·	1·90	14·0	25·2	58·9	12,820	C	·
·	Sec 29 T7 R3 W5		Bellevue Colliery W. Canadian Collieries Ltd.	0·9	15·3	27·4	56·4	12,280		·
·	· · · ·		· · · · · ·	1·2	13·9	26·4	58·5	12,440		·
·	· · · ·		· · · · · ·	1·3	17·0	20·8	60·9	12,070		·
·	· · · ·		· · · · · ·	2·7	18·8	25·5	53·0	11 790		·
29										
30	Near Lundbreck	3·0		3·27	9·20	32·53	47·78	12,256		X
·	· ·	3·0		2·36	12·08	40·66	49·88	10 746		·
31										
32										
33										
34										
35										

			M	A	V	C	B.T.U.	
12A	Sec 12 T17 R6 W5	Ford Coal Co	0·446	17·22	17·06	65·22	12,438	Average of 7 Analyses made by J. McEvoy 10/1/19.
12B	· 36 · 16 · 5 ·		5·0	4·1	22·5	68·6		Private Report
12A	· 12 · 17 · 6 ·	· · ·	1·0	8·0	16·0	75·0		Report of Bruce Rose (See p. 19 of Geo. Sum. Rep. Pt C 1919)

SCHEDULE - CONTINUED



UAA-1974-162-2100-001-015